| | | 0, | | |
|--|---|--|-----------|--|
| | Application No. | Applicant(s) | | |
| Notice of Allowability | 10/820,959 | MIHAYLOV ET AL. | | |
| | Examiner | Art Unit | | |
| | John Bastianelli | 3751 | | |
| The MAILING DATE of this communication All claims being allowable, PROSECUTION ON THE MERI herewith (or previously mailed), a Notice of Allowance (PTO NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATE of the Office or upon petition by the applicant. See 37 CFR | TS IS (OR REMAINS) CLOSED in DL-85) or other appropriate common INT RIGHTS. This application is | n this application. If not included unication will be mailed in due cour | rse. THIS | |
| 1. X This communication is responsive to the amendment | t of August 15, 2005. | | | |
| 2. ⊠ The allowed claim(s) is/are <u>10-19</u> . | | | | |
| 3. $igotimes$ The drawings filed on <u>08 April 2004</u> are accepted by | the Examiner. | | | |
| a) All b) Some* c) None of the: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior International Bureau (PCT Rule 17.2(a)) * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING D noted below. Failure to timely comply will result in ABANI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be INFORMAL PATENT APPLICATION (PTO-152) whice | s have been received in Application to file DONMENT of this application. | d in this national stage application a reply complying with the require | ements | |
| 6. CORRECTED DRAWINGS (as "replacement sheets | | | | |
| (a) ☐ including changes required by the Notice of Drafe 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Example Paper No./Mail Date | tsperson's Patent Drawing Revie | r in the Office action of | | |
| Identifying indicia such as the application number (see 37 each sheet. Replacement sheet(s) should be labeled as su | CFR 1.84(c)) should be written on ch in the header according to 37 C | he drawings in the front (not the bac FR 1.121(d). | k) of | |
| 7. DEPOSIT OF and/or INFORMATION about the attached Examiner's comment regarding REQUIREM | deposit of BIOLOGICAL MAT MENT FOR THE DEPOSIT OF BI | ERIAL must be submitted. Note OLOGICAL MATERIAL. | the | |
| Attachment(s) 1. ☐ Notice of References Cited (PTO-892) | 5. ☐ Notice of I | nformal Patent Application (PTO-15 | 52) | |

JOHN BASTIANELLI PRIMARY EXAMINER

6. Interview Summary (PTO-413),
Paper No./Mail Date _____.

9. Other _____.

Paper No./Mail Date _____.
7. Examiner's Amendment/Comment

8. X Examiner's Statement of Reasons for Allowance

of Biological Material

2.
Notice of Draftperson's Patent Drawing Review (PTO-948)

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with

Gueorgui Milev Mihaylov and Evdokia Kirilova Mihaylov on August 25, 2005.

The application has been amended as follows:

In claim 1, line 5 of the claim, after "at least two", delete "relatively".

In claim 1, line 35 of the claim, after "outlet ports and", change "can seal" to --seals--.

In claim 14, line 3 of the claim, after "connected to", change "it" to --said--.

In claim 16, line 2 of the claim, after "or smaller", change "compare" to --compared--.

In claim 16, line 3 of the claim, after "space and", delete "more particularly".

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance: The primary reason

for the allowance of the claims is a hybrid flow metering valve having a stem with a conical or

ogival front part that seals hermetically a sit that has a corresponding conical or ogival shape in

the tubular space in combination with a threaded leading portion and a regulating portion having

at least one tapered spiral backlash or tapered groove along the tapering truncated thread with a

separation between the two portions.

Application/Control Number: 10/820,959 Page 3

Art Unit: 3751

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Bastianelli whose telephone number is (571) 272-4921. The examiner can normally be reached on M-F (9:30-7:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor. Justine Yu can be reached on (571) 272-4835. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner

Art Unit 3751

August 25, 2005